

**Rating Letter - Intimation of Rating Action**

Letter Issued on : January 14, 2025  
 Letter Expires on : December 06, 2025  
 Annual Fee valid till : December 06, 2025

Scan this QR Code to  
 verify authenticity of this  
 rating



**DIFFUSION ENGINEERS LIMITED**  
 T 5 And 6,  
 MIDC Industrial Area, Hingna  
 Nagpur 440016  
 MAHARASHTRA

**Kind Attn.: Prashant Garg, Director (Tel. No.9823104349)**

Sir / Madam,

**Sub.: Rating(s) Upgraded - Bank Loans of DIFFUSION ENGINEERS LIMITED**

Please note that the current rating(s) and outlook, instrument details, and latest rating action for the  
 aforementioned instrument are as under:

Product	Quantum (Rs. Cr)	Long Term Rating	Short Term Rating
Bank Loan Ratings	47.50	ACUITE A   Stable   Upgraded	-
Bank Loan Ratings	18.00	-	ACUITE A1   Upgraded
Total Outstanding Quantum (Rs. Cr)	65.50	-	-

5W Jyf reserves the right to revise the rating(s) , along with the outlook, at any time, on the basis of new  
 information, or other circumstances which 5W Jyf believes may have an impact on the rating(s). Such  
 revisions, if any, would be appropriately disseminated by 5W Jyf as required under prevailing SEBI  
 guidelines and 5W Jyf policies.

This letter will expire on **December 06, 2025** or on the day when 5W Jyf takes the next rating action,  
 whichever is earlier. It may be noted that the rating(s) is subject to change anytime even before the expiry  
 date of this letter. Hence lenders / investors are advised to visit <https://www.acuite.in/> OR scan the QR code  
 given above to confirm the current outstanding rating(s).

5W Jyf will re-issue this rating letter on **December 07, 2025** subject to receipt of surveillance fee as  
 applicable. If the rating(s) is reviewed before **December 06, 2025**, 5W Jyf will issue a new rating letter.

Please note that under extant SEBI regulations and as per the terms of the rating agreement, once a rating  
 is accepted and outstanding, the issuer is required to promptly furnish the No Default Statement on the first  
 working day of every month.

**Sd/-**  
**Chief Rating Officer**

**This is a system generated document. No signature is required.**

5bbYl i fYg. ....5"8YUJ]g'cZ\Y'F UYX' bgrfi a Ybh

Annexure A. Details of the rated instrument				
Lender's Name	Facilities	Scale	Amt. (Rs. Cr)	Rating Assigned (Outlook)   Rating Action
HDFC Bank Ltd	Cash Credit	Long-term	20.00	ACUITE A   Stable   Upgraded ( from ACUITE A- )
Yes Bank Ltd	Cash Credit	Long-term	5.00	ACUITE A   Stable   Upgraded ( from ACUITE A- )
Not Applicable	Proposed Long Term Bank Facility	Long-term	0.50	ACUITE A   Stable   Upgraded ( from ACUITE A- )
HDFC Bank Ltd	Bank Guarantee (BLR)	Short-term	10.00	ACUITE A1   Upgraded ( from ACUITE A2+ )
HDFC Bank Ltd	Letter of Credit	Short-term	5.00	ACUITE A1   Upgraded ( from ACUITE A2+ )
DBS Bank Ltd	Cash Credit	Long-term	15.00	ACUITE A   Stable   Upgraded ( from ACUITE A- )
ICICI Bank Ltd	Cash Credit	Long-term	7.00	ACUITE A   Stable   Upgraded ( from ACUITE A- )
ICICI Bank Ltd	Bank Guarantee (BLR)	Short-term	3.00	ACUITE A1   Upgraded ( from ACUITE A2+ )
<b>Total Facilities</b>			<b>65.50</b>	-

**DISCLAIMER**

An 5WJf rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. 5WJf ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, 5WJf, in particular, makes no representation or warranty of accuracy, completeness or timeliness of the data and information provided. 5WJf is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. 5WJf ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by 5WJf, 5WJf B rating scale and its definitions.

Any inadvertent omission or error in the rating letter which is discovered or brought to the notice of Acuite shall be rectified as soon as reasonably practicable not later than 48 hours of such discovery or notice. Such error or omission shall not render Acuite liable to any person for any kind of loss or damage including, but not limited to, any special, incidental, indirect or consequential damages caused by errors or omissions, provided such omission or error is rectified as soon as possible after discovery/notice.